
GALDERMA







Make a difference to your patients' skin

With Restylane® Skinboosters™, your patients will feel a true difference in their skin texture - a radiance and smoothness that they will see, feel and love.

Restylane Skinboosters is the first¹ and original stabilized Hyaluronic Acid based injectable treatment for improving skin quality on the face, neck, hands and décolletage, addressing the effects that a modern lifestyle has on skin aging.

Restylane Skinboosters are clinically proven to:

- Improve skin elasticity^{2,3,4}
- Decrease skin roughness^{3,4,5}
- Reduce fine lines⁶
- Lessen skin imperfections, such as discrete depressed acne scars⁷

The result is a significant improvement in skin texture that lasts for up to 12 months after initial treatment.³



The difference is assured

Restylane Skinboosters is the original stabilized Hyaluronic Acid based injectable treatment for improving the quality of your patients' skin in up to 3 treatments⁸, proven by several independent clinical studies.²⁻⁹:

- Over 3.5 million treatments have been performed to date¹⁰
- Results are assured, long-lasting^{3,6}, and supported by 12 years of clinical experience¹
- Restylane Skinboosters have a well characterized safety profile. Minor adverse events, including redness, swelling and bruising, are well documented and temporary^{2-7,9}
- The unique SmartClick™ system improves dosing accuracy and provides greater working comfort¹¹



The difference is efficacy


Results are proven in study after study:

- Significant improvement in skin elasticity of the face and hands observed up to 12 months after initial treatment^{3,5,6}
- 100% of patients experienced GAIS scale improvement at 12 months after initial treatment^{3,6}
- Statistically significant decrease in facial skin roughness seen 6 months after initial treatment⁵

The effects of Restylane Skinboosters become visible after repeated treatments, and extend beyond the last treatment.^{3,5,6}

The difference is satisfaction

With Restylane Skinboosters in your patient's treatment regime, they will see and feel the difference in their skin, and their satisfaction will be felt in your clinic.



Expect to see your patients coming back for more.

Restylane SKINBOOSTERSM

Restylane Skinboosters:

2 formulations that make a difference

REFRESH*	Restylane* SKINBOOSTERS** VITAL *GALDERMA ** PARTIABLE CON 1 ONL	Restylane* SKINBOOSTERS** VITAL LIGHT PARTIES CONT. 1 MA.
Composition	20 mg/mL stabilised hyaluronic acid, phosphate buffered saline, with or without 0.3% lidocaine	12 mg/mL stabilised hyaluronic acid, phosphate buffered saline, with or without 0.3% lidocaine
Technology platform	NASHA™ technology	
Gel particle size	•	•
Suggested treament areas		
Injection depth		
Treatment protocol	Up to 3 treatments ⁸ , 4 weeks apart. Maintenance treatment recommended every 6 months	3 treatments, 2–4 weeks apart. Maintenance treatment recommended every 4-6 months
Onset of action	Progressive	
Packaging	1mL SmartClick™ syringe 3 x 29G TW needle	
Estimate duration	Up to 12 months ^{† 3,6}	Up to 9 months ^{† 9}

*Refreshing the look for radiant and hydrated skin [†]Following initial treatment (first injection)

As for all injection treatments using hyaluronic acid, side effects may occur in association with treatment. These side effects are usually mild to moderate, and include transient reactions such as redness, pain, swelling, bruising and/or bumps at the injection sites. Please consult your practitioner for additional information. Restylane, Restylane Skinboosters, NASHA and Galderma are trademarks owned by Nestlé Skin Health S.A.

Reference List

- 1. Galderma data on file (MA-33110)
- 2. Gubanova et al. Esteticheskaya Meditsina (Aesthetic Medicine) 2010;1:94-98
- 3. Gubanova El et al. J Drugs Dermatol 2015;14(3):288-95
- 4. Williams S et al. J Cosmetic Derm 2009;8:216-225 5. Kerscher M et al. Dermatol Surg 2008;34:1-7
- 6. Gubanova et al. Injections of stabilized hyaluronic acid with a sharp needle compared with a blunt microcannula for facial skin rejuvenation: 12 month results. Poster presented at AMWC 2015
- 7. Dierickx et al. Injections of stabilized hyaluronic acid gel containing lidocaine for the treatment of depressed, facial acne scars: 5 month interim results Poster presented at AMWC 2015
- 8. Galderma data on file (MA-33059)
- 9. Streker M et al. J Drugs Dermatol 2013;12(9):990-994
- 10. Galderma data on file (MA-33111)
- 11. Galderma data on file (3)



Solely Distributed By:

Dubai

Medica Trading LLC Business Bay Al Khaleej Al Thejari Street, Vision Tower, 38th Floor

P.O.Box: 31135, Dubai - U.A.E. Tel: + 971 4 43 70 669 Fax: +971 4 43 70 668 info@medicagroup.com

Abu Dhabi

Medica Trading LLC

Corniche street, Baynunah Tower 2, 3rd floor, Office #47 P.O.Box: 43385, Abu Dhabi - U.A.E. Tel: + 971 2 6581 619 Fax: + 971 2 6581 612 info@medicagroup.com

Kingdom of Saudi Arabia Medica/RIC

Exit 10, King Abdullah Road, Sahhab Tower 1, 5th Floor P.O.Box: 148, Riyadh 11411 - K.S.A. Tel: + 966 11 46 54 113 Fax: + 966 11 46 30 135 info@medicagroup.com

Lebanon

Medica Pharmaceuticals s.a.l. Jal el Dib, Main Road Mallah Center, 11th Floor P.O.Box: 90601 Jdeideh - Beirut, Lebanon Tel: + 961 4 710 973

Fax: +961 4 710 977 info-me@medicagroup.com

Singapore

Medica Singapore Pte Ltd 583 Orchard Road Suite #14-01, The Forum P.O.Box: 238884, Singapore Tel: + 65 67 33 96 89 Fax: + 65 67 33 96 91 info-sg@medicagroup.com









20-22022-01_RSB_HCP_ A4.indd 4 2016-12-19 08:14